

DURABLES VINYL FENCING & RAILING PRODUCT BROCHURE



Quick Ship
Vinyl Fence.com
Part of the DF Supply, Inc. family

durables®



Privacy Fencing

The perfect backdrop to lush garden plants or lively backyard parties, our privacy fencing offers both seclusion and sophistication. Providing maximum privacy and requiring minimal maintenance, we offer a wide variety of styles from traditional to contemporary to complement virtually any architectural style. To ensure superior strength and durability, the bottom rail is reinforced with aluminum.

All of our privacy fences 6 feet tall and below can be installed to withstand wind gusts of up to 130 mph.

Premium

Our Durables Premium style privacy fences feature a 6" picket with .060 tongue and groove.



The Ashforth®

Height: 4', 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
Color: ☐ ☐ ☐ ☐

65 lb¹

The Canterbury™

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
Color: ☐ ☐ ☐

65 lb¹

The Lauderdale™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 13 7/8"
Interlocking Privacy .060"
Color: ☐

50 lb¹

The Miami™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 13 7/8"
Interlocking Privacy .060"
Color: ☐

48 lb¹

The Portsmouth™

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
(accents 7/8" x 1.5")
Color: ☐ ☐ ☐

65 lb¹



The Newport™

Height: 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
Color: ☐ ☐ ☐ ☐

77 lb¹

The Turnbridge®

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
(accents 7/8" x 1.5")
Color: ☐ ☐ ☐

72 lb¹

The Townsend™

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
(accents 3/4" round black aluminum)
Color: ☐ ☐ ☐

64 lb¹

The Briston™

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
(accents 1.25" x 1.25")
Color: ☐

70 lb¹

¹Average weight noted is for a 6'x8' panel.

Classic

Our Durables Classic style privacy fences feature a wide-board 11.3" picket with .055" tongue and groove.



The Wendell™

Height: 4', 5', 6', 7', 8'
Width: 6' & 8'
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
Color:

59 lb¹

The Winchester™

Height: 5', 6', 7', 8'
Width: 6' & 8'
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
Color:

61 lb¹

The Florence™

Height: 6', 7', 8'
Width: 6' & 8'
Picket Style: 7/8" x 11.3"
Tongue & Groove .055" (accents
3/4" round black aluminum)
Color:

59 lb¹

The Edith™

Height: 6', 7', 8'
Width: 6' & 8'
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
(accents 7/8" x 1.5")
Color:

66 lb¹



The Edmonton™

Height: 6' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
(accents 7/8" x 1.5")
Color:

60 lb¹

The Cyrus™

Height: 6', 7', 8'
Width: 6' & 8'
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
(accents 1.25" x 1.25")
Color:

66 lb¹



Picket Fencing

Our classic picket fencing can dramatically change the look of your yard, adding beauty and warmth to the landscape. From simple straight-top to decorative scalloped-top designs, you'll find a wide selection of styles to suit your tastes. Plus, with a Durables® fence, you are assured years of durable performance and maintenance-free satisfaction.

A simple solution that adds ornamental style to your landscape.



The Burton™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (3" picket spacing)
Bottom Rail: 1.5" x 5.5"
Color: ☐ ☐ ☐

35 lb¹

The Grantham™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (3" picket spacing)
Bottom Rail: 1.5" x 5.5"
Color: ☐ ☐ ☐

35 lb¹

The Murton™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (3" picket spacing)
Bottom Rail: 2" x 3.5"
Color: ☐ ☐ ☐

36 lb¹

The Darlington™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (3" picket spacing)
Bottom Rail: 2" x 3.5"
Color: ☐ ☐ ☐

36 lb¹



The Sudbury™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (1.7" picket spacing)
Bottom Rail: 2" x 3.5"
Color: ☐ ☐ ☐

41 lb¹

The Rochdale™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (1.7" picket spacing)
Bottom Rail: 2" x 3.5"
Color: ☐ ☐ ☐

41 lb¹

The Milano™

Height: 3' & 4'
Width: 6' & 8'
Picket Style: 1.5" x 1.5"
Picket Caps: Spade (2" picket spacing)
Bottom Rail: 2" x 6"
Color: ☐

45 lb¹

¹Average weight noted is for a 4'x8' panel.

Picket Fencing continued on next page >>



The Preston™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 1.5"
Picket Caps: Spade
(3.7" picket spacing)
Bottom Rail: 2" x 3.5"
Color: ☐ ☐ ☐

29 lb¹



The Stanley™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 1.5"
Picket Caps: Spade
(3.7" picket spacing)
Bottom Rail: 2" x 3.5"
Color: ☐ ☐ ☐

29 lb¹



The Durham™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 1.5"
Picket Caps: Spade
(1.7" picket spacing)
Bottom Rail: 2" x 3.5"
Color: ☐ ☐ ☐

37 lb¹



The Ashborne™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 1.5"
Picket Caps: Spade
(1.7" picket spacing)
Bottom Rail: 2" x 3.5"
Color: ☐ ☐ ☐

37 lb¹



The Classic™

Height: 3' & 4'
Width: 6' & 8'
Picket Style: 1.5" x 1.5"
Picket Caps: Spade
(2" picket spacing)
Bottom Rail: 2" x 6"
Color: ☐

42 lb¹



DURABLES[®] POOL FENCING: OFFERING SAFETY AND PEACE OF MIND FOR YOUR FAMILY.

FREE SHIPPING

A MINIMUM ORDER APPLIES

www.QuickShipVinylFence.com | (800) 878-7829 | Sales@QuickShipVinylFence.com



Pool Fencing

Surround your patio, pool or lawn with one of our eye-catching pool fences. These attractive designs add a sense of style to any landscape. While perfect around pools, our pool fencing also looks great in any area of your yard. Our exclusive manufacturing process ensures that all of our vinyl products are resistant to water and humidity for lasting beauty. Our pool style gates include self-closing hinges and a pool safety latch. Plus, the bottom rail is reinforced with aluminum to ensure superior strength.

A beautiful finish that always looks new and resists water and humidity.



The Waldston™

Height: 4' & 5'(w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3"
(3.7" picket spacing)

Color: ☐ ☐ ☐

33 lb¹



The Gillingham™

Height: 4' & 5'(w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 1.5"
(3.7" picket spacing)

Color: ☐ ☐ ☐

28 lb¹



The Stanton™

Height: 4' & 5'(w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3"
(1.7" picket spacing)

Color: ☐ ☐ ☐

40 lb¹



The Harwich™

Height: 4' & 5'(w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 1.5"
(1.7" picket spacing)

Color: ☐ ☐ ☐

36 lb¹



The Cargill™

Height: 4' & 5'(w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3" &
7/8" x 1.5" alternating
(3.7" picket spacing)

Color: ☐ ☐ ☐

31 lb¹



The Austell™

Height: 4' & 5'(w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3" &
7/8" x 1.5" alternating
(1.7" picket spacing)

Color: ☐ ☐ ☐

39 lb¹



The Reading™

Height: 4' & 5'(w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3"
(0.6" picket spacing)

Color: ☐ ☐ ☐

48 lb¹

¹Average weight noted is for a 4'x8' panel.



FREE SHIPPING

A MINIMUM ORDER APPLIES

www.QuickShipVinylFence.com | (800) 878-7829 | Sales@QuickShipVinylFence.com



Semi-Privacy Fencing

Our semi-privacy fencing offers just the right amount of seclusion for homeowners who want privacy without complete isolation. The pickets used in our semi-privacy fences slide through the routed rails for a true multi-dimensional look. The superior strength and durability of our fence are due in part to the fact that the bottom rail is reinforced with an aluminum insert.

Just the right amount of seclusion and style.



The Milton®

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 3"
(7/8" picket spacing)
Color: ☐ ☐ ☐

63 lb¹

The Harlow®

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 3"
& 7/8" x 1.5" alternating
(7/8" picket spacing)
Color: ☐ ☐ ☐

60 lb¹

The Grenada™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 6"
(7/8" picket spacing)
Color: ☐ ☐ ☐

66 lb¹

The Weldon™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 3"
& 7/8" x 6" alternating
(7/8" picket spacing)
Color: ☐ ☐ ☐

65 lb¹



The Fairfax™

Height: 6'
Width: 8'
Picket Style: 7/8" x 3"
horizontal
(0.9" picket spacing)
Color: ☐

66 lb¹

The Marlow™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 6"
(7/8" picket spacing)
Color: ☐

66 lb¹

¹Average weight noted is for a 6'x8' panel.

Color Options: White: ☐ Tan: ☐ Khaki: ☐



Horse Fencing

Our horse fencing provides a physical barrier that is visible and safe for horses and livestock. It defines property boundaries, adds value to your estate, is low maintenance and offers superior impact resistance. Choose from elegant styles of durable vinyl fencing paired with best-in-class customer service and lifetime implementation support.

Beautiful, durable and top-grade quality.



2 Rail

Post: 5" x 5" square post
Post Length: 5' & 6'
Rail Spacing: 11"
Rail Size: 1.5" x 5.5"
Color: ☐ ☐ ☐ ☐



3 Rail

Post: 5" x 5" square post
Post Length: 6.5', 7' & 7.5'
Rail Spacing: 11"
Rail Size: 1.5" x 5.5"
Color: ☐ ☐ ☐ ☐



4 Rail

Post: 5" x 5" square post
Post Length: 7', 7.5' & 8'
Rail Spacing: 9"
Rail Size: 1.5" x 5.5"
Color: ☐ ☐ ☐ ☐



Cross Buck

Post: 5" x 5" square post
Post Length: 7', 7.5' & 8'
Rail Size: 1.5" x 5.5"
Color: ☐



2-Rail Diamond Rail™

Post: 5" x 5" square post
Post Length: 5' & 6'
Rail Size: 3"x3"
Rail Spacing: 11"
Color: ☐
(Matching gate unavailable)



3-Rail Diamond Rail™

Post: 5" x 5" square post
Post Length: 5' & 6'
Rail Size: 3"x3"
Rail Spacing: 11"
Color: ☐
(Matching gate unavailable)



Single Gate

Sizes: Up to 8' wide
Hardware: Commercial grade stainless steel powder-coated black
Color: ☐ ☐ ☐ ☐



Double Gate

Sizes: Up to 16' wide, 2 gates, latch in the center
Hardware: Commercial grade stainless steel powder-coated black; includes 2 drop rods
Color: ☐ ☐ ☐ ☐

Gates are available in kit form to match Durables® Horse Fencing.

Durables® horse fence is sold by the linear foot. Please visit www.QuickShipVinylFence.com or call (888) 378-1097 for pricing.



Bottom Rail Reinforcement

Providing superior strength and durability.

Most of our fence styles come with an metal insert in the bottom rail to ensure maximum strength and lasting durability.

Bottom Rail Reinforcements



Metal
"I" Channel



Metal
"H" Channel



Fence Gates

Blending optimal function and long-term performance.

You'll find matching gates for all of our fences that are designed with function and long-term performance in mind. We use the best gate hardware in the industry. Manufactured with rust-free, high-tech engineered polymer and stainless steel components, our gate locks, latches and hinges have a limited lifetime warranty.



Our gate post inserts add extra strength and stability to your gate to ensure years of uninterrupted gate operation.



Vinyl Fence Posts

Strong, durable and maintenance-free.

Manufactured from the highest grade materials, our fence posts are the strongest, most durable, low maintenance fence posts you'll find anywhere.



Blank Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96",
105", 120" & 140"
Color: ☐ ☐ ☐ ☐



End Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96",
105", 120" & 140"
Color: ☐ ☐ ☐ ☐



Line Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96",
105", 120" & 140"
Color: ☐ ☐ ☐ ☐



Corner Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96",
105", 120" & 140"
Color: ☐ ☐ ☐ ☐



3-Way Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96",
105", 120" & 140"
Color: ☐ ☐ ☐ ☐



Gate End Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96",
105", 120" & 140"
Color: ☐ ☐ ☐ ☐
(Metal insert included)



Gate Blank Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96",
105", 120" & 140"
Color: ☐ ☐ ☐ ☐
(Metal insert included)



Fast 2K

Size: 14.4 oz & 26 oz
FAST 2K is a more convenient
alternative to concrete for
setting fence posts.

Note: Posts are custom routed to match each specific style of fence.

For example, posts for the Augusta fence will have 3 route holes.

*140" post is only available in 5"x 5" post size

DURABLES[®] RAILING SYSTEMS: THE BEST CHOICE FOR STRENGTH AND DURABILITY.

AVAILABLE IN A RANGE OF ATTRACTIVE COLORS

EASY TO MAINTAIN

FULLY CUSTOMIZABLE

IMPACT- AND WEATHER-RESISTANT

CODE COMPLIANT

FREE SHIPPING

A MINIMUM ORDER APPLIES

Classic Vinyl Railing

The best choice for strong & durable railing.



The Waltham™

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .875" x 1.5" Rectangular Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Metal Inserts:

Top Rail Insert – included

Bottom Rail Insert – optional

Stair Rail–Top Rail Insert – included

Bottom Rail Insert – optional

IRC¹

Brackets Included

The Brighton™

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .875" x 1.5" Rectangular Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Metal Inserts:

Top Rail Insert – included

Bottom Rail Insert – optional

Stair Rail–Top Rail Insert – included

Bottom Rail Insert – optional

IRC¹

Brackets Included



The Hudson

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5' bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Black Round Aluminum

Length: 4', 6' & 8'

Stair Rail Length: 6' & 8'

Metal Inserts:

Top Rail Insert – included

Bottom Rail Insert – included

Stair Rail–Top Rail Insert – included

Bottom Rail Insert – included

IRC¹

Brackets Included

**The brackets included with the classic stair railing are designed for angles of 28° to 42°.*

Premium Vinyl Railing

Attractive designs manufactured from the highest quality vinyl, up to 50% stronger than other brands.



The Manchester™ Railing

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Square Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:


Top Rail Insert–included

Bottom Rail Insert–optional

Stair Rail–top & bottom rail inserts are included

IRC¹ & IBC¹

Brackets Included



The Harrington™ Railing

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Square Spindle

Length: 4', 6', 8' & 10' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert–included

Bottom Rail Insert–optional

Stair Rail–top & bottom rail inserts are included

IRC¹ & IBC¹

Brackets Included



The Westport™ Railing

Color: ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Colonial Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert–included

Bottom Rail Insert–optional

Stair Rail–top & bottom rail inserts are included

IRC¹ & IBC¹

Brackets Included

The Ashington™ Railing

Color: ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Colonial Spindle

Length: 4', 6', 8' & 10' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert–included

Bottom Rail Insert–optional

Stair Rail–top & bottom rail inserts are included

IRC¹ & IBC¹

Brackets Included



The Bradford™ Railing

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Black Square Aluminum Spindle

Length: 4', 6', 8' & 10' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert–included

Bottom Rail Insert–included

Stair Rail–top & bottom rail inserts are included

IRC¹ & IBC¹

Brackets Included



The Kirklees™ Railing

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Black Round Aluminum Spindle

Length: 4', 6', 8' & 10' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert–included

Bottom Rail Insert–included

Stair Rail–top & bottom rail inserts are included

IRC¹ & IBC¹

Brackets Included



The Dorset™ Railing

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom and mid rail

Railing Height: 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Square Spindle

Length: 4', 6', 8' & 10' straight

Aluminum Inserts:

Top Rail Insert–included

Bottom Rail Insert–optional

Stair Rail–N/A

IRC¹ & IBC¹

Brackets Included



Aluminum Insert (2" x 3.5" & T-Rail)

The aluminum inserts needed to meet testing requirements are included with each railing kit. Additional aluminum inserts are available for custom installations.

Size: 2" x 3.5" x 48"

Size: 2" x 3.5" x 72"

Size: 2" x 3.5" x 96"

Size: 2" x 3.5" x 120"

Deck Board Railing

Our premium grade vinyl railing with a decorative top rail accent.



The Bexley™ Deck Board Railing

Deck board not included- match to your specific deck

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Square Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert-included

Bottom Rail Insert-optional

Stair Rail-top & bottom rail inserts are included

IRC¹ & IBC¹

Brackets Included



The Hastings™ Deck Board Railing

Deck board not included- match to your specific deck

Color: ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Colonial Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert-included

Bottom Rail Insert-optional

Stair Rail-top & bottom rail inserts are included

IRC¹ & IBC¹

Brackets Included



The Halton™ Deck Board Railing

Deck board not included- match to your specific deck

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Square Aluminum Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert-included

Bottom Rail Insert-included

Stair Rail-top & bottom rail insert - included

IRC¹ & IBC¹

Brackets Included

The Warrington™ Deck Board Railing

Deck board not included- match to your specific deck

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Round Aluminum Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert-included

Bottom Rail Insert-included

Stair Rail-top & bottom rail inserts are included

IRC¹ & IBC¹

Brackets Included